

**GTR16-2**

✧

✧

✧

✧

300mm

✧

✧

✧

✧

✧

✧



✧

1            10    30  
 2            80    25

3

4                            220V± 22V   50HZ± 1HZ   15A

1

1    GTR16-2

	ml	r/min	× g	
1	1.5ml× 16	16000	19000	
2	1.5ml× 24	13000	16000	
3	5ml× 12	13000	14300	
4	7ml× 12	13000	14900	
5	10ml× 12	12000	14700	
6	50ml× 6 100ml× 4 10ml× 24 15ml× 12	10000	11000	

2


3                            0mi n   99mi n± 1mi n

4            15A

5            750W

6 I B  
 7  
 8 4H  
 9 -5 40 ± 3  
 10 4 15 ± 2  
 11 70dB  
 12

	(mm)	Kg
GTR16-2	500× 666× 360	65



1

1

2

1

3

4

5

0

1

2

3

4

5

1

2

1

2

3

4

5

6

7

8

9

2-3

1

2

3

4

5

6

ABS

3

3

80%

1	GTR16-2	1		
2	1.5ml × 16	1		
3	F15A	2		
4		1		
5		1		
6		1		
7		1		

Q/JSYQ0003-2014

20140008

( )

32

100071

010-51129985 63861691 63861612

010-51129965

010-63861876